

# A TIDE-SWEPT COAST OF SAND AND MARSH: Coastal Geology and Ecology of Georgia

Miles O. Hayes and Jacqueline Michel

## TABLE OF CONTENTS

PREFACE

ACKNOWLEDGEMENTS

1. INTRODUCTION

### SECTION I: COASTAL PROCESSES AND LANDFORMS

2. ORIGIN OF THE COAST

    HOW OLD IS IT?

    EVOLUTION OF THE COAST

    LOWER COASTAL PLAIN (GENERAL GEOLOGY)

    QUATERNARY SEA LEVELS

3. COMPARISON WITH OTHER COASTS

4. COASTAL PROCESSES

    INTRODUCTION

    TIDES

    WAVES

    HURRICANES

    HURRICANES THAT HAVE CROSSED THE GEORGIA COAST

    EARTHQUAKES

5. MAJOR LANDFORMS OF THE COAST

    GEORGIA BIGHT

        Introduction

        Previous Work and Database

    BARRIER ISLANDS

        Introduction

        Types of Barrier Islands

        Origin of Barrier Islands

        Regional Variation

    TIDAL INLETS

        General Introduction

        Regional Variation

        Ebb-Tidal Deltas

        Inlet Migration

    ESTUARIES

        Definition

        Characteristics

        Georgia's Coastal Waterbodies

        Freshwater River Systems

    DELTAS

*Table of Contents*

SAND BEACHES

- A River of Sand
- Beach Profile
- Beach Cycle
- Georgia's Beaches
- Physical Sedimentary Features
- Conspicuous Biological Components
- Typical Geomorphology
- Bubble Sand

COASTAL DUNES

6. BEACH EROSION

INTRODUCTION

MAJOR CAUSES OF BEACH EROSION

- Introduction
- Deficits in Sand Supply
- Sea-level Rise

BEACH EROSION IN GEORGIA

METHODS COMMONLY USED TO PREVENT BEACH EROSION

7. ESTUARINE AND BACKBARRIER HABITATS

GENERAL MORPHOLOGICAL MODEL

MARSHES

- Introduction
- Freshwater Marshes
- Brackish Marshes
- Salt Marshes

TIDAL FLATS

- Definition
- Exposed Sandy Tidal Flats
- Sheltered Mud Flats
- Dominant Biogenic Features

TIDAL CHANNELS

8. FRESHWATER RIVER SYSTEMS

GEOMORPHOLOGY AND HYDROLOGY

BOTTOMLAND HARDWOODS

9. CONTINENTAL SHELF

**SECTION II: COASTAL ECOLOGY OVERVIEW**

10. COASTAL ECOLOGY OF GEORGIA

MARINE MAMMALS

SEA TURTLES

MARINE AND COASTAL BIRDS

- Seabirds
- Shorebirds
- Wading Birds
- Ducks and Divers

**SECTION III: MAJOR COMPARTMENTS**

11. COMPARTMENT 1 - SAVANNAH RIVER TO OSSABAW ISLAND

*Table of Contents*

- INTRODUCTION
- SAVANNAH RIVER FLOOD PLAIN AND DELTA
  - Introduction
  - Morphology and Sediments
  - Places to Visit
- TYBEE ISLANDS
  - Introduction
    - Geological and Human History
    - Beach Erosion
    - Places to Visit
- WASSAW SOUND
  - Introduction
  - General Morphology and Coastal Processes
  - Places to Visit
- WASSAW ISLAND
  - Introduction
  - Wassaw National Wildlife Refuge
  - Places to Visit
- OSSABAW SOUND
  - Introduction
  - General Morphology and Coastal Processes
  - Places to Visit
- 12. COMPARTMENT 2 - OSSABAW ISLAND TO BLACKBEARD ISLAND
  - INTRODUCTION
  - OSSABAW ISLAND
    - Introduction
    - General Geomorphology
    - Ownership History
    - Places to Visit
  - ST. CATHERINES SOUND
    - Introduction
    - General Geomorphology and Coastal Processes
    - Places to Visit
  - ST. CATHERINES ISLAND
    - Introduction
    - Beach Erosion
    - General Geomorphology
    - Places to Visit
  - SAPELO SOUND
    - Introduction
    - Tidal Channels
    - Places to Visit
- 13. COMPARTMENT 3 - BLACKBEARD ISLAND TO JEKYLL ISLAND
  - INTRODUCTION
  - BLACKBEARD AND SAPELO ISLANDS
    - Introduction
    - Coastal Processes and Geomorphology
    - Blackbeard National Wildlife Refuge

*Table of Contents*

- Places to Visit
- DOBOY SOUND
  - Introduction
  - Places to Visit
- ALTAMAHA RIVER DELTA
  - Introduction
  - Geology and Geomorphology
  - Wolf Island National Wildlife Refuge
  - Altamaha Wildlife Management Area/Altamaha River Waterfowl Area
  - Places to Visit
- LITTLE ST. SIMONS, ST. SIMONS, AND SEA ISLANDS
  - Introduction
  - Geomorphology and Beach Erosion
  - Places to Visit
- ST. SIMONS SOUND
  - Introduction
  - Places to Visit
- 14. COMPARTMENT 4 - JEKYLL ISLAND TO ST. MARYS ENTRANCE
  - INTRODUCTION
  - JEKYLL ISLAND
    - Introduction and Geomorphology
    - Human Habitation
    - Places to Visit
  - ST. ANDREW SOUND
    - Introduction
    - Places to Visit
  - CUMBERLAND AND LITTLE CUMBERLAND ISLANDS
    - Introduction and Geomorphology
    - Human Habitation
    - Places to Visit
  - ST. MARYS ENTRANCE
    - Introduction
    - Places to Visit
- 15. OKEFENOKEE SWAMP
- 16. THE FUTURE OF THE GEORGIA COAST
- RECOMMENDED ADDITIONAL READING
- GLOSSARY
- REFERENCES CITED
- INDEX
- ABOUT THE AUTHORS

# LIST OF FIGURES

1. Satellite image of Georgia
2. Time line for origin of the coast of the Georgia Bight
3. Two of the basic elements in the geological history of Georgia as we now know it
4. Coastline of the southeastern U.S., illustrating the major bend in the shoreline known as the Georgia Bight
5. Approximate location of the Cretaceous Seaway in the eastern U.S. around one hundred million years ago
6. Physiographic Provinces of Georgia
7. Lowstand valleys of the coastal plains of South Carolina and Georgia
8. Changes in sea level along the South Carolina Coast over the past 6,000 years
9. Distribution of the Pleistocene barrier island and lagoonal-marsh systems of the Barrier Island Sequence
10. General schematized NW-SE geologic/topographic cross-section across the Barrier Island Sequence
11. DEM (Digital Elevation Model) re-creation of the coastal area including and landward of St. Simons Island
12. Panels representing three different sequences of coastal landforms
13. Tentative curves of shoreline warping of the Pleistocene sequences of the Lower Coastal Plain
14. Data indicating the occurrence of glacial and interglacial periods – from the present to 450,000 yrs ago
15. The historical level of carbon dioxide which is averaged by diffusion of gases in the Vostok ice core
16. Cross-section of the Earth showing its internal structure
17. Cross-section illustrating the collision of continental and oceanic plates
18. Generalized models of the three basic types of depositional coasts
19. Definition of sediment types
20. Forces involved in the generation of tides
21. Complexities of the Earth's tides
22. Typical tidal curve for Georgia
23. Variation of the tidal range and wave height along the shoreline of the Georgia Bight
24. Waves. (A) Components of a typical water wave. (B) General pattern for the generation of waves
25. Waves approaching shore. (A) Orbital water motion at depth. (B) Waves of the surf zone
26. Two types of breaking waves. (A) Plunging. (B) Spilling
27. Illustrations of wave refraction
28. Longshore sediment transport
29. Beach cusps. (A) General model. (B) Beach cusps at Point Reyes Beach, California
30. The recurved spit at the southern end of Blackbeard Island, Georgia
31. Physical coastal processes in the Sapelo Island, Georgia area
32. Characteristics of rip currents. (A) General sketch. (B) Rip currents along the shore of Cape Cod
33. Tracks of hurricanes that have impacted the Georgia Coast between 1881 and 2011
34. Georgia barrier islands
35. Morphology and subsurface three-dimensional configuration (stratigraphy) of barrier islands
36. Typical morphology of prograding barrier islands in the Georgia Bight
37. Generalized model for the expansion of tidal inlets
38. Vertical infrared image of the northeastern end of the Georgia Coast
39. Barrier islands of the Georgia Coast
40. Spit-elongation hypothesis for the origin of barrier islands

## List of Figures

41. Swift's (1975) theory for barrier island origin and evolution
42. Illustration of two theories for barrier island formation
43. Model for the origin of the prograding barrier islands on the coast of the Georgia Bight
44. Micro-barriers forming on a tidal flat in Iceland in the spring of 1973
45. Cross sections showing the evolution of the barrier island systems in the vicinity of Sapelo Island
46. The evolution of Jekyll Island
47. Morphological compartments of the Georgia Bight
48. Ebb-tidal delta at McQueen Inlet on St. Catherines Island, a classic example of a tide-dominated inlet
49. Ebb-tidal deltas on the Georgia Coast
50. General model of the morphology of tidal inlets
51. Types of tidal inlets in the Georgia Bight
52. Typical morphology of ebb-tidal deltas
53. Simplified map of the central portion of the Georgia Coast showing the distribution of the ebb-tidal deltas
54. Two migrating tidal inlets in the Georgia Bight. (A) Captain Sams Inlet, SC. (B) Cabretta Inlet, GA
55. Sediment deposits resulting from the migration of a shallow tidal inlet with an associated recurved spit
56. Effect of tides on the mixing of salt and fresh water in estuaries
57. Estuaries. (A) Plan view of an estuary in the Georgia Bight. (B) Cross-section of such an estuary
58. Diagrammatic cross section of the salt marsh at Sapelo Island
59. Classification of river deltas on a ternary diagram, with three factors controlling the delta morphology
60. River delta models. (A) River-dominated delta. (B) Wave-dominated delta. (C) Tide-dominated delta
61. Beach sediment samples from Georgia beaches
62. Zone of dynamic change (ZODC)
63. Representative beach profiles from the west (A) and east (B) coasts of the United States
64. Intertidal bars
65. More intertidal bars
66. Intertidal beach
67. Representative morphology and sedimentary features on the beaches of the barrier islands
68. Ripples and megaripples
69. Mechanism for the movement of megaripples
70. Sand waves (spacing between crests >18 feet) on the Georgia Coast
71. Changes in linearity of crests and 3-D shape of ripples under conditions of increasing flow strength
72. Photographs of the ripple types illustrated in Figure 71
73. Antidune formation and growth
74. Trench through antidunes on the beach on Seabrook Island, South Carolina
75. More antidunes
76. Heavy minerals. The black minerals are dominated by magnetite and the clear grains are mostly quartz
77. The ghost crab (*Ocypode quadrata*)
78. Outlets of ghost shrimp (*Callinassa major*) burrows on the lower intertidal beach
79. The ghost shrimp (*Callinassa major*)
80. A cross-section showing the burrows of ghost shrimp in the intertidal and shallow offshore zone
81. Bubble sand. (A) Shovel dig with bubble sand. (B) Distorted layers in a trench in bubble sand on a sand flat
82. Example of bubble sand in sediments on a sheltered beach on the eastern shore of Saudi Arabia
83. Model for evolution of foredune ridges on a prograding, recurved spit on barrier islands
84. Formation of the foredune ridge
85. Shoreline changes associated with tidal inlets in the Georgia Bight
86. Jetties at the mouth of the Savannah River on the South Carolina/Georgia border
87. Groins on the Georgia Coast
88. Seawalls and beach erosion
89. Low-tide photograph of riprap revetment
90. Riprap revetments
91. The north-central beach on Jekyll Island during a low spring tide on 28 April 2010

## List of Figures

92. Backbarrier habitats
93. Marsh plants
94. Georgia salt marshes
95. Georgia salt marshes, cont.
96. Georgia salt marshes, cont.
97. Vertical image of the sand flat/inlet entrance shoal complex (ebb-tidal delta) of Tybee Inlet
98. Sandy tidal flat, south end of Tybee Island
99. Horseshoe crabs (*Limulus polyphemus*) on an intertidal sand flat
100. Sketch of ray in the process of excavating substrate to feed on organisms in the sediment
101. Sheltered mud flats
102. Burrowing characteristics of four of the more common organisms on the tidal flats of the Georgia Coast
103. Channel types. (A) Classified as straight or sinuous. (B) Contrasting steep and flat channels
104. Meandering channels
105. General model of the morphology of tidal channels in the estuaries and sounds
106. Tidal river point bars in the Savannah Cut of the Sapelo River
107. Vertical low-tide image of a large tidal river point bar in the Julienton River, Georgia
108. Drainage networks in the tidal marshes of Georgia, illustrating their tree-like configuration
109. Bluff being eroded by the Crooked River tidal channel
110. Major piedmont and coastal plain river systems occurring within Georgia and South Carolina
111. The three zones of the direct transfer of sediments from the uplands to the coast
112. The morphology of the flood plain of a typical major piedmont river where it crosses the coastal plain
113. Hydrographs for a piedmont river and a coastal plain river
114. Topographic cross-section illustrating the components of typical bottomland hardwood ecosystems
115. Examples of bottomland hardwood ecosystems
116. Bathymetry of the continental shelf off South Carolina and Georgia
117. Geologic cross-section of the continental shelf of Georgia
118. National Audubon Society Important Bird Areas and coastal marine protected areas
119. Compartment 1, Savannah River to the north end of Ossabaw Island
120. Sediment load (in millions of tons per year [Mt/yr]) from major rivers along the Georgia Bight
121. Upper/lower delta plain area of the Savannah River Delta
122. Upper delta plain, Savannah River Delta
123. Lower delta plain of the Savannah River Delta
124. Painted bunting
125. Vertical image of the highly developed Tybee Island
126. The central and southern portions of the Holocene complex of sand ridges and salt marsh of Tybee Island
127. Infrared image of the northern portion of Compartment 1
128. Vertical image of the north end of Tybee Island
129. Tybee Island
130. Excellent example of salt pruning of shrubs
131. Bathymetry of Wassaw Sound and Ossabaw Sound
132. Vertical image of a tree-shaped tidal creek system located about a mile east of Thunderbolt
133. Avenue of oaks at the Wormsloe State Historic Site
134. Vertical image of Ossabaw Sound
135. Sandy tidal flat at the entrance to Ossabaw Sound
136. Ogeechee River where US 17 crosses it near Burroughs in Chatham County
137. Compartment 2, north end of Ossabaw Island to north end of Blackbeard Island
138. Ossabaw Island and the adjoining mainland
139. Ossabaw Island. (A) Small tidal inlet. (B) The prograding southerly end of the island
140. Vertical image of St. Catherines Sound, St. Catherines Island, and Sapelo Sound
141. Bathymetry of St. Catherines Sound and Sapelo Sound
142. Flood-tidal delta at the entrance to St. Catherines Sound



## *List of Figures*

143. Complex meandering tidal channel systems at the head of St. Catherines Sound
144. Vertical image of St. Catherines Island
145. St. Catherines Island. (A) North end. (B) Tidal inlet/channel off the northeast end of island
146. St. Catherines Island. (A) Highly erosional beach. (B) Transgressive barrier island
147. The intersection of two major tidal channels – the North Newport River and the Timmons River
148. Examples of extreme sinuosity (meandering) of tidal channels in the tributaries of Sapelo Sound
149. The National Wildlife Refuges that make up the Savannah Coastal Refuges network
150. Woody Pond nesting and roosting area on the Harris Neck National Wildlife Refuge
151. Compartment 3, north end of Blackbeard Island to north end of Jekyll Island
152. Vertical infrared image of Sapelo Island
153. Vertical image of Doboy Sound
154. Bathymetry of Doboy Sound, the nearshore zone off the sound, and the delta front of the Altamaha River
155. Doboy Sound, cont. (A) Vertical image of the sound. (B) Black needlerush marsh
156. Vertical image of the Altamaha River Delta
157. Old rice fields. (A) The upper delta plain. (B) Rice fields that were part of the Hofwyl-Broadfield Plantation
158. Wolf Island, a part of the northern limb of the delta front of the Altamaha River Delta
159. Delta front islands. (A) Small horseshoe-shaped shoal. (B) Little St. Simons Island
160. Vicinity of Darien. (A) The town of Darien. (B) Historical nautical chart
161. A segment of the Darien River approximately 3.6 miles east of the Fort King George historic site
162. Butler Island. (A) A 75-ft brick chimney. (B) Edge of a refurbished rice pond
163. Butler Island/Champney River
164. Hofwyl/Broadfield Plantation State Historic Site
165. Little St. Simons Island. (A) Northerly oriented spit. (B) The tidal inlet at the outlet of Hampton River
166. View looking north of the Holocene barrier islands that make up the outer fringe of the delta
167. Vertical image of Sea Island
168. The salt marsh/tidal channel system that separates St. Simons Island from the Princess Anne upland
169. Eroding dunes, Holocene component of St. Simons Island
170. St. Simons Sound
171. Compartment 4, north end of Jekyll Island to the St. Marys River Entrance
172. Jekyll Island. (A) Digital orthophoto. (B) Sketch showing some relevant aspects of the island
173. Jekyll Island's sand beaches. (A) Ground view of the beach. (B) Oblique aerial view of the south end
174. Erosion zone on Jekyll Island. (A) Riprap revetment. (B) Dead live oak trees littering the high-tide line
175. North end of Jekyll Island. (A) Silver Bluff Pleistocene barrier island system. (B) Holocene component
176. North end of Jekyll Island. (A) The fishing pier. (B) Saw palmetto plants
177. St. Andrew Sound
178. Vertical image illustrating the transition of brackish/freshwater marshes to cypress-tupelo swamps
179. Waterfront Park on the Satilla River at Woodbine in Camden County
180. The path of the Satilla River, the second largest coastal plain (black-water) river in Georgia
181. Vertical image of Cumberland Island
182. The Tabby Sugar Works
183. Crooked River State Park. (A) The understory in the pines is saw palmetto. (B) Cones of the longleaf pine
184. St. Marys Entrance
185. The Okefenokee Swamp and surroundings