

A COAST OF SCENIC WONDERS: Coastal Geology and Ecology of the Outer Coast of Oregon and Washington and the Strait of Juan de Fuca

Miles O. Hayes and Jacqueline Michel

TABLE OF CONTENTS

PREFACE

ACKNOWLEDGEMENTS

1. INTRODUCTION

SECTION I: COASTAL PROCESSES AND LANDFORMS

2. GENERAL MORPHOLOGY OF COASTS

INTRODUCTION

CHARACTERISTICS OF DEPOSITIONAL COASTS

CHARACTERISTICS OF LEADING-EDGE COASTS

PHYSICAL SETTING OF THE PACIFIC NORTHWEST COAST

3. GEOLOGY OF THE PACIFIC NORTHWEST COAST

INTRODUCTION

HOW OLD IS IT?

EARLY EVOLUTION OF THE PACIFIC NORTHWEST COAST

EVOLUTION OF THE PACIFIC NORTHWEST COAST 200-2.6 MILLION YEARS AGO

Tectonic Processes

Columbia River Basalt

Modern Cascade Range

THE QUATERNARY PERIOD

Introduction

The Glacial Lake Missoula Floods

GOLD PLACERS AND NATURAL GAS

4. COASTAL HAZARDS

FIRST, A WARNING

EARTHQUAKES

TSUNAMIS

SNEAKER WAVES

5. SEA-LEVEL RISE: PAST AND FUTURE

6. COASTAL PROCESSES

TIDES

WAVES

General Introduction

Waves on the Coasts of Oregon and Washington

Table of Contents

- MAJOR COASTAL STORMS
- 7. MAJOR LANDFORMS OF THE COAST
 - RELATIVE ABUNDANCE OF COASTAL HABITAT TYPES
 - ROCKY COASTS
 - Introduction
 - Rock Cliffs
 - Rock Platforms
 - Raised Marine Terraces
 - SAND BEACHES
 - A River of Sand
 - The Beach Profile
 - The Beach Cycle or “Normal Seasonal Changes”
 - Smaller-Scale Physical Sedimentary Features
 - GRAVEL BEACHES
 - LITTORAL CELLS
 - Introduction
 - Littoral Cells in Oregon and Washington
 - CRENULATE BAYS
 - TIDAL INLETS
 - Introduction
 - Oregon’s Tidal Inlets
 - Tidal Inlets on the Outer Shore of Washington
 - COASTAL DUNE FIELDS
 - RIVER DELTAS
- 8. HABITATS OF COASTAL WATER BODIES
 - ESTUARIES
 - Definition
 - Estuarine Characteristics
 - MARSHES
 - TIDAL FLATS
 - Definition
 - Exposed Sandy Tidal Flats
 - Sheltered Mud Flats
 - Dominant Biogenic Features
 - TIDAL CHANNELS
- 9. CONTINENTAL SHELF AND SUBMARINE CANYONS
- 10. SHORE EROSION AND RETREAT
 - INTRODUCTION
 - EROSION OF BEACHES AND FOREDUNES
 - SEA CLIFF RETREAT AND LANDSLIDES
 - METHODS COMMONLY USED TO PREVENT COASTAL EROSION

CONCLUDING REMARKS

SECTION II. COASTAL ECOLOGY OVERVIEW

11. INTRODUCTION TO COASTAL ECOLOGY

12. KEY BIOLOGICAL RESOURCES OF OREGON AND WASHINGTON

MARINE MAMMALS

Introduction

Whales

Dolphins and Porpoises

Pinniped Haulouts and Rookeries

Sea Otters

MARINE AND COASTAL BIRDS

Nesting Seabirds

Waterfowl

Shorebirds

FISH AND SHELLFISH

Anadromous Fish

Shellfish

INTERTIDAL BIOLOGICAL COMMUNITIES

Rocky Intertidal Communities

Sand Beach Communities

FEDERALLY MANAGED LANDS

SECTION III. MAJOR COMPARTMENTS

13. INTRODUCTION

14. COMPARTMENT 1 – SOUTHWEST COAST (CALIFORNIA BORDER TO FLORENCE JETTIES)

INTRODUCTION

ZONE 1. CALIFORNIA BORDER TO CAPE BLANCO

Introduction

Geologic Framework

General Description

General Ecology

Places to Visit

ZONE 2. CAPE BLANCO TO CAPE ARAGO

Introduction

Geologic Framework

General Description

General Ecology

Places to Visit

ZONE 3. CAPE ARAGO TO FLORENCE JETTIES

Introduction

Geologic Framework

Table of Contents

- General Description
- General Ecology
- Places to Visit
- 15. COMPARTMENT 2 – FLORENCE JETTIES TO TILLAMOOK HEAD
 - INTRODUCTION
 - ZONE 1. FLORENCE JETTIES TO YAQUINA HEAD
 - Introduction
 - Geologic Framework
 - General Description
 - General Ecology
 - Places to Visit
 - ZONE 2. YAQUINA HEAD TO CAPE LOOKOUT
 - Introduction
 - Geological Framework
 - General Description
 - General Ecology
 - Places to Visit
 - ZONE 3. CAPE LOOKOUT TO TILLAMOOK HEAD
 - Introduction
 - Geological Framework
 - General Description
 - General Ecology
 - Places to Visit
- 16. COMPARTMENT 3 – CENTRAL ESTUARIES (TILLAMOOK HEAD TO POINT GRENVILLE)
 - INTRODUCTION
 - ZONE 1. TILLAMOOK HEAD TO COLUMBIA RIVER MOUTH
 - Introduction
 - Geologic Framework
 - General Description
 - General Ecology
 - Places to Visit
 - ZONE 2. COLUMBIA RIVER MOUTH TO POINT GRENVILLE
 - Introduction
 - Geological Framework
 - General Description
 - General Ecology
 - Places to Visit
- 17. COMPARTMENT 4 – OLYMPIC PENINSULA (POINT GRENVILLE TO EAST END OF DUNGENESS SPIT)
 - INTRODUCTION
 - ZONE 1. POINT GRENVILLE TO MOUTH OF HOH RIVER

Table of Contents

Introduction
Geological Framework
General Description
General Ecology
Places to Visit
ZONE 2. MOUTH OF HOH RIVER TO CAPE FLATTERY
Introduction
Geological Framework
General Description
General Ecology
Places to Visit
ZONE 3. CAPE FLATTERY TO AGATE BAY
Introduction
Geological Framework
General Description
General Ecology
Places to Visit
ZONE 4. AGATE BAY TO EAST END OF DUNGENESS SPIT
Introduction
Geological Framework
General Description
General Ecology
Places to Visit
RECOMMENDED ADDITIONAL READING
GLOSSARY
REFERENCES CITED
INDEX
ABOUT THE AUTHORS:

LIST OF FIGURES

1. Satellite image of the states of Oregon and Washington
2. Tectonism. The tectonic plates that occur on the Earth and their relative movement
3. Elements involved in the process of the migration (and collision) of tectonic plates and seafloor spreading
4. Mid-ocean ridges. (A) Sea floor topography. (B) Parallel magnetic bands of volcanic rocks on the sea
5. Generalized models of the three types of depositional coasts
6. Definition of sediment types based on size in millimeters (mm)
7. Evolution of the oceanic plates of the eastern Pacific Ocean
8. Shaded relief map of Oregon, courtesy of USGS, National Map
9. Shaded relief map of Washington, courtesy of USGS, National Map
10. Time line for the origin of the coasts of Oregon and Washington
11. Cross-section of the Earth showing its internal structure
12. The three types of motion of plate boundaries
13. Faulted and dipping strata
14. Two of the basic elements in the geological history of Oregon and Washington
15. The maximum extent of the 17-13 million year old Columbia River basalt
16. The present plate tectonic situation in the Pacific Northwest
17. The volcanoes of the modern Cascade Range, including estimates of volcanic hazard zones for each
18. Maximum advance of ice into the Pacific Northwest during the Wisconsin glaciation
19. The area affected by the floods of Glacial Lake Missoula
20. The Channeled Scablands of western Washington
21. The Cascadia subduction zone
22. State of Oregon road sign to indicate that you are entering a tsunami hazard zone
23. The occurrence of glacial and interglacial periods extending from the present to 450,000 years
24. CO₂ concentration (in parts per million, ppm) in the Earth's atmosphere
25. Vertical land movements along the Oregon Coast relative to mean sea level
26. Vertical land movements best-estimate rates in feet/century (left) and their uncertainties (right)
27. Forces involved in the generation of astronomical tides
28. Complexities of the Earth's tides
29. The amphidromic tidal systems of the Pacific Ocean
30. The complex tidal curve at Astoria, OR on 28 February and 1 March 2018
31. Water levels on the mid-Oregon coast at Yaquina Bay
32. Waves. (A) Components of a water wave. (B) Generation of waves by wind blowing across the water
33. Waves approaching shore. (A) Orbital water motion at depth. (B) The surf zone
34. Two types of breaking waves. (A) Plunging waves. (B) Spilling waves
35. The creation of a tombolo
36. Longshore sediment transport
37. Beach cusps
38. Rip currents
39. Prevailing winds and storm tracks for the World Oceans
40. Average winter significant wave heights

List of Figures

41. How longshore sand movements during a normal year contrast to that during a major *El Niño*
42. Rocky coasts. (A) Exposed rock shore (B) Wave-cut rock platform
43. Oregon beaches. (A) Medium- to fine-grained sand beach. (B) Sand and gravel beach. (C) Gravel beach
44. Oblique aerial view of the entrance to Netarts Bay, OR. Note the exposed sandy tidal flats
45. Mud flats and marshes. (A) Mud flat. (B) Salt marsh
46. Sea stacks
47. Sea caves and sea arches
48. Raised marine terraces
49. Model of the formation of raised marine terrace
50. Zone of dynamic change (ZODC)
51. (A) Terminology used to define aspects of the beach. (B) Seasonal changes in beach profiles
52. Ripples and megaripples
53. Mechanism for the movement of megaripples
54. Changes in linearity of crests and 3-dimensional shape of ripples under increasing flow strength
55. Photographs of the ripple types illustrated in Figure 54
56. Antidunes. (A) Formation and growth. (B) Trench through antidunes on the beach
57. Surface layers of heavy minerals
58. Topographic beach profile and sediments of an open ocean (exposed) coarse-grained gravel beach
59. Gravel shapes
60. A common type of beach on the Oregon Coast
61. General model of a littoral cell
62. The major headlands defining the principal littoral cells along the coast
63. General model of a crenulate bay
64. Crescent Bay near Port Angeles on the Strait of Juan de Fuca, an example of a crenulate bay
65. Shore with a crenulate-bay shape at the north end of Grenville Bay, WA
66. Morphology of tidal inlets. General model
67. Tidal deltas. (A) Netarts Bay Inlet. (B) Entrance to Sand Lake
68. Shoreline changes at the Columbia River mouth due to construction of the jetties from 1885 to 1917
69. Stream mouth bars at (A) Big Creek, near Florence, OR and (B) Hunter Creek south of Gold Beach, OR
70. Jetties. (A) Grays Harbor, WA; (B) Mouth of the Quillayute River at La Push, WA
71. The mechanisms by which sand grains are transported by the wind – saltation, suspension, and creep
72. Four sand dune types typically present in the coastal dunes of the Oregon and Washington Coasts
73. Wind roses for Portland, OR, derived from hourly measurements from 1961-1990
74. Barren sand dunes just to the north of Florence, OR
75. The wave-dominated Elwha River Delta located on the Strait of Juan de Fuca
76. The bayhead delta in Tillamook Bay, OR
77. Effect of tides on the mixing of salt and fresh water in estuaries
78. Estuaries. (A) Plan view of a typical partially mixed estuary. (B) Cross-section of the estuary
79. Generalized profile of an Oregon intertidal marsh
80. Burrowing characteristics of infauna on tidal flats
81. Infauna on tidal flats. (A) The ghost shrimp, *Neotrypaea californiensis*. (B) The razor clam, *Silqua patula*
82. Channel types, classified as to whether they are straight or sinuous
83. Physiography and structure of the continental slope and abyssal plain off Oregon and Washington
84. Turbidity currents and their deposits (turbidites)
85. (A) The jetties on the Siuslaw River near Florence, OR. (B) Groins on the shore of the Siuslaw River
86. Seawalls and beach erosion
87. Landslides. (A) The features of a typical landslide. (B) The Oso Landslide
88. An example of the ESI biological resource maps that are generated from these data
89. The migration routes of gray whales
90. The intertidal zones and dominant species on the rocky shores of Oregon and Washington
91. Map of Compartment 1

List of Figures

92. More detailed map of Zone 1 of Compartment 1
93. Fragment of the Klamath Mountains that separated from the coastal range about 100 million years ago
94. Arch Rock, located 5 miles south of the mouth of Pistol River, OR
95. Mouth of Pistol River, OR. Note field of vegetated dunes south of the river mouth
96. Geological cross-section in the Coos Bay area illustrating the folded nature of the rocks in that area
97. Coos Bay estuary, OR
98. Photograph of the grounded M/V *New Carissa* taken 4 February 1999
99. Coastal dune field near Lakeside, OR and just to the south of Winchester Bay
100. Map of Compartment 2
101. More detailed map of Zone 1 of Compartment 2
102. Oblique view of the Cape Cove sand beach located one half mile south of Heceta Head, OR
103. Heceta Head Lighthouse, OR
104. The mouth of the Alsea River, OR. Note the large flood-tidal delta and the wetlands up the channel
105. Crenulate bay near the town of Seal Rock, OR. Arrow points to Elephant Rock
106. Elephant Rock, OR, which is composed of columnar basalt
107. Oblique aerial view of Yaquina Head, OR
108. More detailed map of Zone 2 of Compartment 2
109. Cape Foulweather, OR
110. Entrance to Siletz Bay, OR. Arrow points to flood-tidal delta
111. Area in the vicinity of the mouth of the Salmon River, OR. Arrow points to Roads End Point
112. Nestucca Bay, OR. Note the rhythmic topography along the beach north of the entrance to the Bay
113. Oblique aerial view of Cape Lookout, OR
114. Sketch map of the general geology of Zone 3 (Compartment 2) – Cape Lookout to Tillamook Head
115. Geological cross-section across U.S. 101 at Tillamook Head
116. Vertical image of the entrance to Netarts Bay, OR
117. Oblique aerial view of Three Arch Rocks, OR
118. Geologist's conception of Bayocean Spit development
119. (A) Twin Rocks, OR. (B) Haystack Rock at Cannon Beach, OR
120. Map of Compartment 3
121. Image of Compartment 3
122. Clatsop Sand Spit, OR. Arrow points to the mouth of Necanicum River
123. General map of the surface geology of much of Zone 2 of Compartment 3
124. The Cape Disappointment area, north side of the Columbia River mouth, WA
125. Grays Harbor Estuary, WA
126. Crenulate bay to the south of Point Grenville, WA
127. Map of Compartment 4
128. General geological map that includes Zone 1 in Compartment 4
129. Approximate extent of Pleistocene glaciation in the Olympic Peninsula and Puget Sound lowland
130. The lower portion of the Queets River, WA, a classic example of a meandering stream
131. Vertical photo of Destruction Island showing the horseshoe shape of the island
132. Mouth of the Quillayute River and the village of La Push, WA
133. Cross-section of the geological units from Alexander Island to the mainland, North of the Hoh River
134. Oblique aerial photograph of Alexander Island, WA
135. Oblique aerial photograph of the Point of the Arches, WA
136. Vertical image showing the mouths of the Sooes and Waatch Rivers, WA
137. General geology of Zones 3 and 4 of Compartment 4
138. Two natural groin systems located just east of the village of Neah Bay, WA
139. Coastal area in the vicinity of Pillar Point, WA on the Strait of Juan de Fuca
140. Dungeness Spit, WA