

A COAST BEYOND COMPARE:

COASTAL GEOLOGY AND ECOLOGY OF SOUTHERN ALASKA

Miles O. Hayes and Jacqueline Michel

TABLE OF CONTENTS

PREFACE

ACKNOWLEDGEMENTS

INTRODUCTION

SECTION I: COASTAL PROCESSES AND GEOMORPHOLOGY

1. GENERAL STRUCTURE AND ORIGIN

INTRODUCTION

CHARACTERISTICS OF LEADING-EDGE COASTS

CHARACTERISTICS OF DEPOSITIONAL COASTS

ORIGIN OF THE SOUTHERN ALASKA COAST

Introduction

How Old Is It?

Evolution of the Southern Alaska Coast - Early Beginnings

Evolution of the Coast - 200-2.6 Million Years Ago

Evolution of the Coast - Pleistocene and Holocene Epochs

Evolution of the Coast - Quaternary Sea Levels

EARTHQUAKES

Introduction

The Great Alaska Earthquake of 1964

THE GEOLOGICAL SETTING

OIL AND GOLD

Introduction

Oil and Gas

Gold

Story

RELATIVE ABUNDANCE OF COASTAL TYPES

2. COASTAL PROCESSES

TIDES

WAVES

General Introduction

Wave-Generated Currents and Longshore Sediment Transport

Coastal Storms on the Southern Alaska Coast

Waves on the Southern Alaska Coast

TSUNAMIS

Table of Contents

3. MAJOR LANDFORMS OF THE COAST

ROCKY COASTS

Introduction

Rock Headlands

Rock Cliffs

Rock Platforms

Raised Marine Terraces

SAND BEACHES

A River of Sand

The Beach Profile

The Beach Cycle or “Normal Seasonal Changes”

Smaller-Scale Physical Sedimentary Features

GRAVEL BEACHES

Introduction

Occurrence of Gravel Beaches

Coarse-grained Gravel Beaches Exposed to Significant Wave Action

OUR SURVEYS OF SOUTHERN ALASKA BEACHES

CRENULATE BAYS

RIVER DELTAS

BARRIER ISLANDS

TIDAL FLATS

Definition

Exposed Sandy Tidal Flats

Sheltered Mud Flats

Dominant Biogenic Features

Nushagak Bay

COASTAL SAND DUNES

COASTAL WATER BODIES

Introduction

Definition of an Estuary

Estuarine Characteristics

MARSHES

RIVER AND TIDAL CHANNELS

FAN DELTAS

Introduction

Fan Deltas on the Southern Alaska Coast

4. COASTAL EROSION

INTRODUCTION

SEA-LEVEL RISE

COASTAL EROSION IN SOUTHERN ALASKA – AN ASSESSMENT

5. LANDSLIDES

6. CONTINENTAL SHELF

Table of Contents

7. GLACIATION

INTRODUCTION

THE LOCAL PIEDMONT GLACIERS

The Malaspina Glacier

The Bering Glacier

GLACIAL RETREAT AND MELTING

OUTWASH AND BEACH-RIDGE PLAINS

8. VOLCANOES

SECTION II: COASTAL ECOLOGY OVERVIEW

9. INTRODUCTION

10. KEY BIOLOGICAL RESOURCES OF SOUTHERN ALASKA

MARINE MAMMALS

Introduction

Whales, Dolphins, and Porpoises Along the Southern Alaska Coast

Pinniped Haulouts and Rookeries

Pacific Walrus

Sea Otters

TERRESTRIAL MAMMALS: BEARS

MARINE AND COASTAL BIRDS

FISH

INTERTIDAL HABITATS AND BIOLOGICAL COMMUNITIES

Introduction

Rocky Shores

Sand and Gravel Beaches

Tidal Flats

Salt Marshes

SUBTIDAL HABITATS: KELP FORESTS AND EELGRASS BEDS

SECTION III: MAJOR COMPARTMENTS

11. INTRODUCTION

12. COMPARTMENT 1 – SOUTHEAST ALASKA (Canadian Border to Icy Point)

INTRODUCTION

TIDES AND GEOLOGY

TONGASS NATIONAL FOREST

ECOLOGY AND PLACES TO VISIT

ZONE 1. SOUTHEAST REGION (Canadian Border to Stikine River)

General Description

Story

ZONE 2. SOUTHWEST REGION (Cape Chacon to Cape Ommaney)

General Description

General Ecology

ZONE 3. NORTHEAST REGION (Stikine River to Skagway)

Table of Contents

- General Description
- Major Towns and Places to Visit
- Glaciers
- ZONE 4. NORTHWEST REGION (Cape Ommaney to Icy Point)
 - General Description
 - Glacier Bay National Park and Preserve
- 13. COMPARTMENT 2 – FAIRWEATHER FORELAND (Icy Point to Ocean Cape)
 - INTRODUCTION
 - ZONE 1. GLACIATED MOUNTAINOUS COAST (Icy Point to Clear Creek Just West of the Grand Plateau Glacier)
 - Introduction
 - Geology
 - Lituya Bay
 - Glaciers
 - General Ecology
 - ZONE 2. YAKUTAT FORELAND (Clear Creek Just West of the Grand Plateau Glacier to Ocean Cape)
 - Introduction
 - Geology and Geomorphology
 - Two Main Glaciers
 - Sediments
 - General Ecology
 - Places to Visit
- 14. COMPARTMENT 3 – MALASPINA FORELAND AND VICINITY (Ocean Cape to Icy Cape)
 - INTRODUCTION
 - ZONE 1. YAKUTAT BAY
 - Introduction
 - Geology/Geomorphology
 - Origin of Yakutat Bay
 - Glaciers
 - General Ecology
 - ZONE 2. MALASPINA FORELAND (Yakutat Bay to Icy Bay)
 - Introduction
 - Morphology
 - Sediments
 - Glaciers
 - General Ecology
 - ZONE 3. ICY BAY
 - General Description
 - General Ecology
- 15. COMPARTMENT 4 – YAKATAGA FORELAND (Icy Cape to Cape Suckling)
 - INTRODUCTION
 - ZONE 1. ROBINSON MOUNTAINS HEADLAND (Icy Cape to Cape Yakataga)
 - General Description

Table of Contents

- General Ecology
- ZONE 2. BERING FORELAND
 - Introduction
 - Morphology and Sedimentation
 - Glaciers
 - General Ecology
- 16. COMPARTMENT 5 – COPPER RIVER DELTA AND VICINITY (Cape Suckling to Shirttail Point on Hinchinbrook Island)
 - INTRODUCTION
 - ZONE 1. KAYAK ISLAND AND CONTROLLER BAY TOMBOLOS (Cape Suckling to Palm Point near Katalla)
 - Introduction
 - Geology
 - Controller Bay
 - Glaciers
 - General Ecology
 - Places to Visit
 - History and Story
 - ZONE 2. MIXED ENERGY BARRIER ISLANDS (Palm Point near Katalla to Shirttail Point on Hinchinbrook Island)
 - Introduction
 - Sediments
 - Glaciers
 - General Ecology
 - History
 - Places to Visit
- 17. COMPARTMENT 6 – PRINCE WILLIAM SOUND AND OUTER ISLANDS (Shirttail Point on Hinchinbrook Island to Cape Puget)
 - GENERAL DESCRIPTION
 - Outer Islands
 - Geology
 - Prince William Sound
 - The *Exxon Valdez* Oil Spill
 - Climatic and Oceanographic Setting
 - Gravel Beaches
 - Glaciers
 - General Ecology and Places to Visit
- 18. COMPARTMENT 7 – OUTER KENAI PENINSULA (Cape Puget to Point Bede Magnet Rock)
 - INTRODUCTION
 - GENERAL GEOLOGY
 - GENERAL DESCRIPTION
 - Introduction
 - Glaciers

Table of Contents

- General Ecology
- Places to Visit
- The *Exxon Valdez* Oil Spill
- 19. COMPARTMENT 8 – COOK INLET
 - INTRODUCTION
 - ZONE 1. LOWER COOK INLET (Point Bede Magnet Rock/Cape Douglas to West Foreland/East Foreland)
 - General Description
 - Geology
 - Winds, Waves, and Tides
 - Coastal Types
 - Bayhead Depositional Systems
 - Sediment Composition
 - Glaciers
 - General Ecology
 - Places To Visit
 - ZONE 2. UPPER COOK INLET (West Foreland/East Foreland to Portage/Palmer)
 - Geology
 - General Description
 - General Ecology
 - Places to Visit
- 20. COMPARTMENT 9 – KODIAK AND ASSOCIATED ISLANDS/SHELIKOF STRAIT
 - INTRODUCTION
 - ZONE 1. KODIAK AND ASSOCIATED ISLANDS
 - Physical Setting
 - Coastal Types
 - General Description
 - General Ecology
 - Places to Visit
 - ZONE 2: NORTHWEST SHELIKOF STRAIT (Cape Douglas to Cape Kuyuyukak)
 - Physical Setting
 - Coastal Types
 - General Description and Glaciers
 - General Ecology
 - Places to Visit
- 21. COMPARTMENT 10 – ALASKA PENINSULA (Cape Kuyuyukak to Cape Menshikof)
 - INTRODUCTION
 - PHYSICAL SETTING
 - ZONE 1. SOUTHERN PENINSULA (Cape Kuyuyukak to Konets Head, Umnak Pass)
 - General Description
 - General Ecology
 - Places to Visit
 - ZONE 2. NORTHERN PENINSULA (Konets Head, Umnak Pass to Cape Menshikof)

Table of Contents

- General Description
- General Ecology
- Places to Visit
- 22. COMPARTMENT 11 – NORTHEASTERN BRISTOL BAY (Cape Menshikof to Cape Constantine)
 - INTRODUCTION
 - GENERAL GEOLOGY, TIDES, RIVERS, AND WIND
 - GENERAL ECOLOGY
 - A BRIEF HISTORY OF THE BRISTOL BAY COMMUNITIES
 - Places to Visit
 - Story
 - FINAL WORDS
- RECOMMENDED ADDITIONAL READING
- GLOSSARY
- REFERENCES CITED
- INDEX
- ABOUT THE AUTHORS:

LIST OF FIGURES

1. The Southern Alaska Coast
2. The epicenters of historic earthquakes in Alaska and the location of some of the major fault systems
3. Crustal deformations associated with the Good Friday earthquake of 27 March 1964
4. The tectonic plates that occur on the Earth and their relative movement
5. Elements involved in the process of the migration (and collision) of tectonic plates and seafloor spreading
6. Generalized models of the three basic types of depositional coasts
7. Definition of sediment types based on size in millimeters
8. Time line for the origin of the Southern Alaska Coast
9. Cross-section of the Earth showing its internal structure
10. Sea floor bathymetry, primarily of the Atlantic and Pacific Ocean Basins
11. The three basic types of motion of plate boundaries
12. Faulted and dipping strata
13. Evolution of the oceanic plates of the eastern Pacific Ocean
14. Major faults of Alaska and their extensions into Canada
15. Two of the basic elements in the geological history of Southern Alaska as we know it
16. Map of Alaska and adjacent regions showing last interglacial and last-glacial high-tide locations
17. The occurrence of glacial and interglacial periods extending from the present to 450,000 years ago
18. The historical level of carbon dioxide which is averaged by diffusion of gases in the Vostok ice core
19. Oblique aerial view of Montague Island showing the raised marine terrace
20. Model for present-day crustal deformation along the Pacific and North American Plate boundaries
21. Exposed rocky shores
22. Two types of beaches
23. ESI 4 – Medium- to coarse-grained sand beach
24. ESI 4 (cont.) – Medium- to coarse-grained sand beach
25. ESI 6A – Gravel beach
26. ESI 7 – Exposed tidal flats
27. ESI 9A – Sheltered tidal flats
28. ESI 10A – Salt- and brackish-water marshes
29. Forces involved in the generation of tides
30. Complexities of the Earth's tides
31. The amphidromic tidal systems of the Pacific Ocean
32. Control of diurnal inequality on the focus of wave action on coarse-grained gravel beaches
33. Bar graphs for spring tidal ranges for 28 sites along the Southern Alaska Coast
34. Tides in the northeastern corner of Bristol Bay
35. Upper Turnagain Arm in Upper Cook Inlet
36. General distribution of the major open ocean currents in the Gulf of Alaska and adjoining waterbodies
37. Components of a typical water wave and general pattern for the generation of waves by wind
38. Waves approaching shore
39. Two types of breaking waves
40. The creation of a tombolo

List of Figures

41. Longshore sediment transport
42. Three common natural features that indicate longshore sediment transport direction
43. Two natural indicators of longshore sediment transport direction
44. Two more natural indicators of longshore sediment transport direction
45. Directions of longshore sediment transport, based on large-scale coastal geomorphic features
46. Morphology and grain size trends of Duktoth Spit
47. Beach cusps
48. Winds and storms
49. Rock headlands
50. Rocky coasts
51. Sea cave on Kayak Island at low tide
52. View looking south at a raised marine terrace at an elevation of 1300 feet near Yakutat
53. Model of the formation of raised marine terraces
54. Zone of dynamic change (ZODC)
55. Depositional features associated with the mouth of the Alsek River
56. Representative beach profiles from the west and east coasts of the United States
57. Ripples and megaripples
58. Mechanism for the movement of megaripples
59. Sand waves and megaripples
60. Changes in linearity of crests and 3-D shape of ripples under conditions of increasing flow strength
61. Photographs of the ripple types illustrated in Figure 60
62. Antidunes
63. Formation of heavy mineral layer on upper beachface
64. General model that explains the formation process of a surface layer of heavy minerals on a beach
65. Holocene coastal plain of south-central Alaska
66. The beach at Sitkagi Bluffs, the eroding end moraine of the Malaspina Glacier
67. Example of gravel beach morphology
68. Gravel shapes and imbrication
69. Characteristics of gravel clasts
70. Schematic model of the development of an armored surface of coarse clasts on a gravel beach
71. Photos of gravel beach on outer Montague Island on 24 June 1990
72. Topographic profiles of some beaches along the Holocene coastal plain of south-central Alaska
73. General model for a crenulate bay
74. Alaska crenulate bays
75. Classification of river deltas on a ternary diagram, with three factors controlling the delta morphology
76. Morphology of landward-migrating and prograding barrier islands
77. Vertical image of Compartment 5, which shows the location of the two Zones in the Compartment
78. Barrier islands on the outer coast of the Copper River Delta
79. Typical morphology of prograding barrier islands along many depositional coasts around the World
80. Uplift in the Copper River Delta area as a result of the Good Friday earthquake March 1964
81. Barrier island growth
82. Tidal flat exposed during a low spring tide in summer 1981
83. Tidal deposits in Nushagak Bay
84. Map of Nushagak Bay showing the area at low tide
85. The mechanisms by which sand grains are transported by the wind – saltation, suspension, and creep
86. Four sand dune types typically present in the coastal dunes on many coastal areas around the World
87. Four of the most common types of aeolian sand dunes that occur on the Southern Alaska Coast
88. Aeolian features of the Bering Foreland
89. Wind-shadow dunes and log orientations near the mouth of the Seal River
90. Flat dunes

List of Figures

91. Channel types
92. Examples of braided streams
93. Meandering stream in a marsh in the upper reaches of Bristol Bay
94. The Red River fan delta on the shore of Lower Cook Inlet, and the Red Glacier
95. Relationship of sediment supply and wave energy to the morphology of Lower Cook Inlet
96. The Halibut Creek Delta, a river-dominated fan delta in a sheltered embayment in Lower Cook Inlet.
97. Delta front of a wave-dominated fan delta in Lower Cook Inlet, the Douglas River Delta
98. Delta front of a wave-dominated fan delta in Lower Cook Inlet, Alaska
99. Large wave-built beach berm across the outlets of the braided streams of a wave-dominated fan delta
100. The Grewingk Delta, a delta that sunk about 3 feet during the “Good Friday” earthquake of 1964
101. Predicted sea level rise based on the AIB scenario presented by IPCC (2007)
102. Diagram of processes affecting Cook Inlet bluff erosion
103. Rock slide on the shore of Lower Cook Inlet in June 1976
104. The features of a typical landslide
105. General topography of the continental shelf off the coastal plain region of south-central Alaska
106. Example of U-shaped valley carved by glaciers located near Anchorage
107. Knik Glacier near Anchorage
108. Coastal glaciers
109. Subglacial streams
110. Extent of glaciation in Alaska during the last major ice age
111. Map of part of south-central Alaska showing present-day extent of glaciers and icefields
112. Low-oblique photograph of the coast in the vicinity of the Malaspina Glacier
113. A perspective view of the Malaspina Glacier
114. Glaciers and sedimentation
115. Oblique aerial view of the Bering Glacier, a massive piedmont glacier
116. Retreating glaciers in Icy Bay
117. Glaciers and outwash fans
118. Map of Scott Glacier outwash fan showing the distribution of sediment types along the length of the fan
119. Scott Glacier outwash fan during runoff
120. Glacial outwash plain depositional model for the outer coast of southern Alaska
121. Locations of the volcanoes in Alaska that have been active over the past 2,000 years
122. Oblique aerial view of Augustine Volcano in Lower Cook Inlet
123. Four major volcanoes in the Cook Inlet area and their associated hazards
124. The eastern shore of Lower Cook Inlet south of Kenai at low tide
125. Volcanoes in the Alaska Peninsula/Unimak Island area
126. Environmental Sensitivity Index (ESI) map of the Port Wells area in Prince William Sound
127. Fishers getting into position for the opening of a fishery in Bristol Bay
128. The intertidal zones and dominant species on the exposed rocky shores of Southern Alaska
129. Compartment 1 – Canadian Border to Icy Point
130. Geologic map of southern Alaska emphasizing the Yakutat terrane
131. Landsat satellite image showing the Stikine River and its associated delta
132. Map of the Glacier Bay region showing the outline of the Glacier Bay National Park and Preserve
133. Location map of Compartment 2 – Fairweather Foreland (Icy Point to Ocean Cape)
134. Map of the shore and associated glaciers between Icy Point and Cape Fairweather
135. The Grand Plateau Glacier
136. Location map for Compartment 3 – Malaspina Foreland and vicinity (Ocean Cape to Icy Cape)
137. Sediment distribution along the shore of the Malaspina Foreland
138. Gravel beach ridge west of Sitkagi Bluffs, Malaspina Foreland
139. Boulders on the high beachface to the east of the main ridge of Sitkagi Bluffs, Alaska
140. Erosion zone along the northwest side of the entrance to Icy Bay

List of Figures

141. Vertical image of Compartment 4 – Yakataga Foreland (Icy Cape to Cape Suckling)
142. A view looking east on 2 March 1970 of the fine-grained sand beach a few miles east of Cape Yakataga
143. The Bering Glacier area
144. Spectacular rhythmic topography and rip currents along the beach of the Bering Foreland
145. Oblique aerial view of the sea stack at the southwest end of Kayak Island, called Pinnacle Rock
146. Gravel beaches on the southeast end of Kayak Island
147. The two principal sandy depositional features in the Controller Bay area
148. Hotel in the ghost town of Katalla
149. Contrast in sediment types of the outwash plain and Copper River Delta barrier-island beaches
150. Glaciers that feed sediment into the Copper River Delta system
151. Compartment 6 – Prince William Sound and Outer Islands
152. The eastern end of Hinchinbrook Island
153. Armored gravel beaches in Prince William Sound, Alaska
154. Gravel beach on Smith Island that was heavily oiled during the *Exxon Valdez* oil spill
155. Station N-15 on Latouche Island
156. Compartment 7 – The Outer Kenai Peninsula
157. Near the entrance to Resurrection Bay on the western end of the outer coast of the Kenai Peninsula
158. Turbidity currents and their deposits (turbidites)
159. The shore in front of the Bear Glacier
160. Wave-cut rock platforms, Outer Kenai Peninsula
161. Chrome Bay near the west end of the Outer Kenai Peninsula
162. Compartment 8 – Cook Inlet
163. Examples of sand and gravel spits in Lower Cook Inlet
164. The wave-dominated fan delta at the mouth of Johnson River on the west shore of Lower Cook Inlet
165. Erosional scarps in bedrock along the shore of Lower Cook Inlet
166. Inferred surface water flow patterns in Lower Cook Inlet
167. Field sketch and profile of station 51 located near Happy Valley in Lower Cook Inlet
168. Geologic cross-section between Tern Lake and Soldotna
169. Outlines of the end moraines that were present in Knik and Turnagain Arms during the last Ice Age
170. Vertical image of Compartment 9 – Kodiak/Shelikof Strait
171. Generally erosional shores in Compartment 9
172. Spits on Kodiak Island
173. The shoreline at Pivot Point in Kiliuda Bay (east side of Kodiak Island south of Eagle Harbor)
174. View of the southeast side of Sitkalidak Island, showing a spectacular raised marine terrace
175. Vertical image of Tugidak Island and the western end of Sitkinak Island
176. Shoreline of Shelikof Strait
177. Vertical image of Wide Bay showing recurved spits formed by waves approaching the shore from the east
178. Vertical image of Compartment 10 – Alaska Peninsula (Cape Kuyuyukak to Cape Menshikof)
179. Wind data for the Cold Bay Airport
180. The coastal area influenced by braided streams draining off Mount Veniaminof
181. The northwest shoreline of Unimak Island with the volcano Mount Westdahl in the distance
182. The northwest shore of Unimak Island with Cave Point in the upper right
183. Recurved spits at the entrance to Bechevin Bay
184. Compartment 11 – Northeastern Bristol Bay (Cape Menshikof to Cape Constantine)
185. Ugashik Bay
186. Multiple recurved beach ridges indicating sediment transport to the north
187. Naknek on the north bank of the Naknek River during a low spring tide
188. Seasonal variation of the wind roses at Naknek (Vaught, 2012)
189. View during a low tide at the northwest shore of the peninsula on the north side of Bristol Bay
190. The new (2016) walrus haulout at Cape Greig, 8 miles north of Ugashik Bay